

Parts Export

Generated: 2026-06-10 07:50:08

Total Parts: 35

| Image | Part Number | Name | Category | Manufacturer | Description | Specification | Tags |
|----------|-------------|---|------------------------|--|---|---|--|
| No Image | EDA-00002-A | Alligator Clip to Female Dupont Jumper Wire | MM - Mechanical Module | Generic / OEM, KEYESTUDIO | 10-pin jumper wire set featuring insulated alligator (crocodile) clips on one end and female Dupont connectors on the other. Designed for quick and secure temporary electrical connections in DIY projects, prototyping, and laboratory testing. Widely used in school physics labs, breadboard testing, circuit assembly, and component holding during soldering. | Item Type: Electronics Accessory Jumper Type: Female Clip Length: 22.6 mm Cable Length: 20 cm Material: Copper with Plastic Insulation Shipping Weight: 0.04 kg Shipping Dimensions: 7 x 4 x 2 cm | Alligator Clip Wire • Dupont Jumper Wire • 10 Pin Jumper • Crocodile Clip Cable • 20cm Test Lead |
| No Image | MMB-00001-A | Big cardboard box | MM - Mechanical Module | Packman Packaging, Corrugated Box India, Uline, Pragati Pack | Big cardboard boxes are heavy-duty corrugated storage and packaging boxes used for shipping, storage, moving, organizing tools, electronics kits, robotics components, workshop materials, and DIY projects. These boxes are lightweight, recyclable, and available in multiple sizes and thickness grades. | Product Type: Corrugated Cardboard Box Box Size: Large Material: Corrugated Cardboard Ply Type: 3 Ply / 5 Ply | Cardboard Box • Corrugated Box • Packaging Box • Storage Carton • Shipping Box • Moving Box • DIY Storage Box |
| No Image | MMB-00002-A | Storage box, big | MM - Mechanical Module | Stanley, Pro'sKit, Tactix, Deli | Large 8-compartment storage boxes are used for organizing electronic components, motors, sensors, screws, tools, wires, connectors, Arduino accessories, and DIY hardware. These organizer boxes typically feature durable plastic construction with transparent lids and removable dividers for flexible storage. | Product Type: Compartment Storage Box Number of Compartments: 8 Material: Plastic / Polypropylene Box Type: Large Organizer Box Storage Items: Sensors, Screws, Components | Storage Box • Component Storage Box • Parts Organizer • DIY Storage • 8 Compartment Box • Large Organizer Box • Hardware Organizer |
| No Image | MMB-00002-B | Storage box | MM - Mechanical Module | Stanley, Pro'sKit, Tactix, Deli | Small 6-compartment storage boxes are compact organizers used for storing electronic components, resistors, LEDs, screws, nuts, jumpers, ICs, connectors, beads, and DIY hardware. These boxes are lightweight, portable, and commonly used in electronics labs, workshops, and hobby projects. | Product Type: Compartment Storage Box Number of Compartments: 6 Material: Plastic / Polypropylene Box Type: Small Organizer Box Storage Items: Screws, LEDs, ICs | Storage Box • Organizer Box • 6 Compartment Box • Small Parts Box • Component Storage • Electronics Organizer • DIY Storage |
| No Image | MMB-00002-C | Storage box | MM - Mechanical Module | Stanley, Pro'sKit, Tactix, Deli | Thin 20-compartment storage boxes are used for organizing electronic components, screws, nuts, resistors, ICs, beads, connectors, small tools, and DIY hardware. These lightweight organizers usually feature transparent lids and removable dividers for easy sorting and visibility. | Product Type: Compartment Storage Box Number of Compartments: 20 Material: Transparent Plastic / PP Box Type: Thin Organizer Box Storage Items: Screws, ICs, Components | Storage Box • 20 Compartment Box • Organizer Box • Component Storage Box • Parts Organizer • Electronics Storage • DIY Organizer |
| No Image | MMC-00004-A | USB Cable | MM - Mechanical Module | MWduino | USB Type-A to Type-B data cable designed for Arduino UNO and compatible boards. Provides stable data transfer and reliable 5V power for programming and debugging. Compact 30cm blue cable ideal for students, hobbyists, and embedded development. | Item Type: Data Cable Color: Blue Cable Length: 30 cm USB Type: Type-A to Type-B Weight: 19 g Shipping Weight: 0.025 kg Shipping Dimensions (L x W x H): 9 x 7 x 2 cm | USB Cable • USB A to B • Arduino Cable • Printer Cable • UNO Programming Cable |
| No Image | MMC-00005-A | Telephone extension cable (Male to Male) | MM - Mechanical Module | Belkin, UGREEN, CableCreation, StarTech | RJ-11 4P4C male to male telephone extension cable designed for telephone systems, communication devices, modems, intercom systems, and embedded communication applications. It provides reliable signal transmission, secure connectivity, and flexible cable routing for voice and low-speed data communication systems. Commonly used in landline telephones, fax machines, DSL modems, networking experiments, and electronics communication projects. | Connector Type: RJ-11 4P4C Male to Male Cable Type: Telephone Extension Cable Number of Conductors: 4P4C Cable Length: 1m – 10m | RJ11 cable • 4P4C cable • telephone extension cable • male to male cable • communication cable |

| Image | Part Number | Name | Category | Manufacturer | Description | Specification | Tags |
|----------|--------------------|-----------------------------------|------------------------|---|---|---|--|
| No Image | MMC-00006-A | DC Jack | MM - Mechanical Module | CUI Devices, Kycon, SparkFun, Adafruit | 9V DC jack connector designed for power supply connections in electronic circuits, Arduino systems, embedded devices, robotics, and DIY electronics projects. It provides secure and stable DC power connectivity for adapters, batteries, and external power sources in low-voltage electronic applications. | Connector Type: DC Barrel Jack Input Voltage: 9V DC Connector Size: 5.5mm x 2.1mm | DC jack • 9V connector • barrel jack • power connector • DC socket • Arduino power jack |
| No Image | MMC-0000X-B | Male-to-Male Jumper Wire | MM - Mechanical Module | Male-to-Male Jumper Wire (20 cm, Pack of 20) | 20 cm male-to-male jumper wires designed for quick and reliable circuit connections. Includes 20 multi-color flexible wires with standard 2.54mm male header pins. Ideal for breadboards, Arduino, Raspberry Pi, and sensor prototyping applications. | Item Type: Jumper Wire Cable Type: Male to Male Cable Length (cm): 20 Quantity (pcs): 20 Connector Type: Male Header Pins Color Coding: Multi-color (10–20 assorted colors) Compatibility: Breadboards, Arduino, Raspberry Pi, Sensors Weight (g): 16 Shipping Weight: 0.016 kg Shipping Dimensions (L x W x H): 10.5 x 7.5 x 2 cm | Breadboard Wire • Arduino Wire • Prototyping Cable • Jumper Wire • Male to Male |
| No Image | MMC-0000Y-A | Male-to-Female Jumper Wire | MM - Mechanical Module | MWduino / Generic | 20 cm male-to-female jumper wires for flexible and reliable circuit connections. Includes 20 multi-color wires with 2.54mm male pins and female header connectors. Ideal for Arduino, Raspberry Pi, sensors, and breadboard prototyping projects. | Item Type: Jumper Wire Cable Type: Male to Female Cable Length (cm): 20 Quantity (pcs): 20 Connector Type: Male Pin ? Female Header Color Coding: Multi-color (10–20 assorted colors) Compatibility: Breadboards, Arduino, Raspberry Pi, Sensors Weight (g): 16 Shipping Weight: 0.016 kg Shipping Dimensions (L x W x H): 10 x 7.5 x 2 cm | Breadboard Wire • Arduino Wire • Prototyping Cable • Jumper Wire • Male to Female |
| No Image | MMC-0000Z-C | Female-to-Female Jumper Wire | MM - Mechanical Module | TWIN INDUSTRIES | 20 cm Female-to-Female jumper wires for reliable connections between pins or headers. Includes 20 flexible, color-coded wires compatible with breadboards and Arduino projects. Ideal for prototyping, testing, educational use, and sensor connections. | Cable Type: Female to Female Cable Length (cm): 20 Quantity (pcs): 20 Connector Type: Female Header ? Female Header Color Coding: Multi-color (10–20 assorted colors) Compatibility: Breadboards, Arduino, Raspberry Pi, Sensors Weight (g): 17 Shipping Weight: 0.017 kg Shipping Dimensions (L x W x H): 10 x 7.5 x 2 cm | Female-to-Female Jumper • Breadboard Wire • Arduino Wire • Prototyping Cable • 20cm • Multi-color |
| No Image | MMD-00001-A | DC motor | MM - Mechanical Module | Roboman, Rytronics, Singh Varieties, Ercoms Robotics, Robiz (OEM) | Compact 3–6V DC mini motor ideal for Arduino smart cars and small DIY robotics projects. | Motor Size: 38 x 20 x 15 mm Shaft Diameter: 2 mm Shaft Length (Axial): 9 mm Operating Voltage: 3V – 6V Motor Type: DC Motor | dc motor • Mini Motor • 3V Motor • Arduino Motor • DIY Robotics • Smart Car Motor |
| No Image | MMD-00001-B | BO2 Side Shaft Plastic Gear Motor | MM - Mechanical Module | Generic Robotics, Robu.in, FlyRobo, DFRobot, Keyestudio | BO2 Side Shaft Plastic Gear Motor is a lightweight DC geared motor commonly used in robotics, smart car projects, line follower robots, obstacle avoidance robots, STEM kits, and Arduino DIY projects. It features a plastic gearbox with dual side shafts for easy wheel mounting and provides low-speed high-torque operation. | Product Type: Plastic Geared DC Motor Motor Type: BO2 Side Shaft Motor Operating Voltage: 3V – 12V DC Rated Voltage: 6V DC Speed Range: 60RPM – 300RPM | Arduino Motor • BO Motor • DC Gear Motor • BO2 Gear Motor • Plastic Gear Motor • Side Shaft Motor • Robot Motor |
| No Image | MMD-00002-A | Metal Gear Servo Motor | MM - Mechanical Module | TowerPro, DFRobot, Adafruit, SparkFun, Robocraze | MG995 360° High Speed Torque Metal Gear Servo is a continuous rotation high-torque servo motor widely used in robotics, RC vehicles, robotic arms, automation systems, smart wheels, and Arduino projects. It features metal gears, PWM control, high holding torque, and durable construction for demanding applications. | Product Type: Digital Servo Motor Model: MG995 Rotation Type: 360° Continuous Rotation Operating Voltage: 4.8V – 7.2V DC Stall Torque: 9kg-cm – 13kg-cm | Arduino Servo • Digital Servo Motor • Metal Gear Servo • High Torque Servo • Robotics Servo • MG995 Servo • 360° Servo Motor |
| No Image | MMD-00002-B | Servo Motor | MM - Mechanical Module | TowerPro, MWduino Compatible, Generic | Compact 9g micro servo motor with 180° rotation for precise angular control. Delivers 1.2–1.6 kg·cm torque with fast response speed for robotics and RC applications. Compatible with Arduino and microcontrollers using standard PWM control. | Item Type: TowerPro Servo Motor Model Series: SG Series Model No.: SG90 Rotation (Degree): 180° Torque Rating (kg-cm): 1.2 to 1.6 Operating Voltage (VDC): 3.0 – 7.2 Operating Speed @ 4.8V: 0.10 sec/60° Stall Torque @ 4.8V (kg-cm): 1.2 Stall Torque @ 6.6V (kg-cm): 1.6 Operating Temperature (°C): -30 to 60 Gear Type: Glass Fiber Servo Plug Type: JR Cable Length (cm): 25 Length (mm): 22.8 Width (mm): 12.6 Height (mm): 34.5 Weight (g): 9 Shipping Weight: 0.014 kg Shipping Dimensions (L x W x H): 8 x 6 x 4 cm | SG90 Servo • 9g Servo Motor • Micro Servo • RC Servo • Arduino Servo |
| No Image | MMD-00002-C | Metal Gear Micro Servo | MM - Mechanical Module | TowerPro, DFRobot, Adafruit, SparkFun, Waveshare | MG90S Metal Gear Micro Servo is a compact high-torque micro servo motor designed for robotics, RC cars, robotic arms, pan-tilt systems, drones, and Arduino projects. It uses metal gears for improved durability and better torque compared to SG90 plastic gear servos. Typical operating voltage is 4.8V–6V with around 180° rotation. | Product Type: Metal Gear Micro Servo Model: MG90S Operating Voltage: 4.8V – 6V DC Rotation Angle: 180° Stall Torque: 1.8kg-cm – 2.2kg-cm | Arduino Servo • Metal Gear Servo • High Torque Servo • Robotics Servo • MG90S Servo • Micro Servo Motor • PWM Servo |

| Image | Part Number | Name | Category | Manufacturer | Description | Specification | Tags |
|----------|--------------------|---|------------------------|---|--|---|--|
| No Image | MMD-00002-D | Digital Servo Motor 360 Degree | MM - Mechanical Module | TowerPro, Probots, DFRobot, Adafruit, SparkFun | MG996R Digital Servo Motor 360 Degree is a high-torque continuous rotation servo motor widely used in robotics, robotic arms, RC vehicles, automation systems, pan-tilt mechanisms, and Arduino projects. It features metal gears, PWM control, and continuous 360° rotation capability. | Product Type: Digital Servo Motor Model: MG996R Rotation Type: 360° Continuous Rotation Operating Voltage: 4.8V – 7.2V DC Rated Voltage: 6V DC Stall Torque: 10kg-cm – 13kg-cm | Arduino Servo • MG996R Servo • 360 Degree Servo • Digital Servo Motor • Metal Gear Servo • High Torque Servo • Robotics Servo |
| No Image | MMD-00003-A | Micro gear motor | MM - Mechanical Module | Pololu, DFRobot, Adafruit, SparkFun | N20 micro gear motors are compact DC geared motors widely used in robotics, smart cars, line follower robots, automation systems, mini conveyor mechanisms, and DIY electronics projects. These motors combine a small DC motor with a metal gearbox to provide low speed and high torque in a compact form factor. | Product Type: Micro Gear Motor Operating Voltage: 3V – 12V DC Rated Voltage: 6V DC Speed Range: 15RPM – 1000RPM Shaft Diameter: 3 mm | Mini Motor • Arduino Motor • Robotics Motor • Metal Gear Motor • N20 Motor • Micro Gear Motor • DC Gear Motor |
| No Image | MMD-00003-B | 150 RPM Geared Motor | MM - Mechanical Module | Johnson Motor, DFRobot, Robu.in, FlyRobo | 150 RPM 12V geared motors are high-torque DC motors with integrated reduction gearboxes designed for robotics, smart vehicles, automation systems, conveyor mechanisms, DIY mechanical projects, and Arduino-based applications. The gearbox reduces speed while increasing torque for controlled movement. | Product Type: DC Geared Motor Rated Voltage: 12V DC Speed: 150 RPM Gearbox Type: Metal Gearbox Shaft Diameter: 6 mm Current Consumption: 100mA – 500mA | 150RPM Motor • Geared DC Motor • 12V Gear Motor • High Torque Motor • Robotics Motor • DIY Motor • Metal Gear Motor |
| No Image | MMD-00004-A | Vibrating Motor | MM - Mechanical Module | Precision Microdrives, Adafruit, Jinlong Machinery, Generic Motors, DFRobot | Vibrating motors are compact DC motors with an off-center weight that generates vibration during rotation. These motors are widely used in mobile phones, wearable devices, robotics, DIY electronics, alert systems, haptic feedback projects, and Arduino-based applications. | Product Type: Vibrating DC Motor Operating Voltage: 1.5V – 5V DC Speed: 8000 – 12000 RPM Current Consumption: 60mA – 100mA | Mini Motor • Arduino Motor • Vibration Motor • Vibrating Motor • Coin Motor • DC Vibration Motor • Haptic Motor |
| No Image | MMD-00005-A | MINI SUBMERSIBLE WATER PUMP | MM - Mechanical Module | Adafruit, SunFounder, DFRobot, Generic Pump Manufacturer | Mini submersible water pumps are compact DC-powered pumps designed for water circulation, mini fountains, hydroponics, aquarium systems, cooling projects, automatic watering systems, and DIY Arduino automation projects. These pumps operate while fully submerged in water and provide low-noise continuous flow. | Product Type: Mini Submersible Water Pump Operating Voltage: 3V – 6V DC Rated Voltage: 5V DC Current Consumption: 100mA – 220mA Flow Rate: 80 – 120 L/H Outlet Diameter: 7mm – 8mm | Mini Water Pump • Submersible Pump • DC Water Pump • Aquarium Pump • DIY Pump • Arduino Water Pump • Micro Pump |
| No Image | MMD-00006-A | Small Reduction Stepper Motor - 5VDC 32-Step 1/16 Gearing | MM - Mechanical Module | Adafruit, Songle Motor, Generic Stepper Motors, SunFounder | The Small Reduction Stepper Motor – 5VDC 32-Step 1/16 Gearing is commonly known as the 28BYJ-48 stepper motor. It is a compact geared unipolar stepper motor widely used in Arduino projects, robotics, automation systems, camera sliders, smart locks, and educational electronics. The internal reduction gearbox provides higher torque and precise low-speed rotation. | Product Type: Geared Stepper Motor Model: 28BYJ-48 Operating Voltage: 5V DC Gear Reduction Ratio: 1/64 Steps Per Revolution: 2048 Steps | Arduino Motor • 5V Stepper Motor • Reduction Stepper Motor • 28BYJ-48 • Geared Stepper Motor • Mini Stepper Motor • DIY Robotics Motor |
| No Image | MMK-00001-A | CABLES | MM - Mechanical Module | SparkFun, Adafruit, Pololu, Generic | Jumper wire cable set containing male-female, male-male, and female-female connection wires designed for breadboard prototyping, Arduino circuits, embedded systems, robotics, and electronics development applications. These cables provide reliable electrical connectivity, flexible routing, and easy plug-and-play interfacing between sensors, modules, microcontrollers, and development boards. Commonly used in DIY electronics, educational kits, IoT systems, PCB testing, and prototyping projects. | Cable Types: Male-Female, Male-Male, Female-Female Quantity: 80 MF, 80 MM, 80 FF Wire Length: 10cm – 30cm Conductor Material: Copper | Breadboard Wire • jumper wires • Dupont cable • MF cable • MM cable • FF cable |
| No Image | MMM-00001-A | BO Motor | MM - Mechanical Module | FlyRobo, RoboticsDNA, RoboElements | The 100 RPM Duel Shaft BO Motor motor gives good torque and rpm at lower operating voltages, which is the biggest advantage of these motors. It is an alternative to our metal gear DC motors. It comes with an operating voltage of 3-6V and is perfect for building small and medium robots. A small shaft with matching wheels gives an optimized design for your application or robot. Mounting holes on the body & lightweight makes it suitable for in-circuit placement. The motor is ideal for DIY enthusiasts. This motor set is inexpensive, small, easy to install, and ideally suited for use in a mobile robot car. | Gearbox Shape: Straight Operating Voltage: 3 – 6 V Rated Speed After Reduction: 100 RPM Shaft Diameter: 0.55 cm (Double) Shaft Length: 0.85 cm Dimensions (LxWxH): 7 x 2.3 x 1.9 cm | robotics • arduino • BO Motor • Gear Motor • Smart Car |

| Image | Part Number | Name | Category | Manufacturer | Description | Specification | Tags |
|----------|--------------------|-----------------------|------------------------|---------------------------------------|---|---|--|
| No Image | MMM-00003-A | Car Chassis (Plywood) | MM - Mechanical Module | Robu.in, FlyRobo, DFRobot, Keyestudio | RJ12 plywood car chassis is a lightweight robot platform designed for DIY robotics, STEM learning, line follower robots, obstacle avoidance robots, and Arduino-based smart car projects. These chassis are laser-cut from plywood or MDF sheets and provide mounting holes for motors, wheels, sensors, and controllers. | Product Type: Robot Car Chassis Chassis Material: Plywood / MDF Thickness: 3mm – 5mm Compatible Motors: BO Motor / TT Motor / N20 | RJ12 Chassis • Robot Car Chassis • Plywood Chassis • DIY Robot Base • Smart Car Platform • Robotics Chassis • Wooden Chassis |

| Image | Part Number | Name | Category | Manufacturer | Description | Specification | Tags |
|----------|--------------------|---------------------|------------------------|--|--|---|--|
| No Image | MMM-00005-A | Wheels | MM - Mechanical Module | Pololu, DFRobot, Waveshare, SunFounder | N20 34mm wheels are compact rubber wheels specially designed for N20 micro gear motors with a 3mm D-shaped shaft. These wheels are widely used in line follower robots, mini smart cars, obstacle avoidance robots, STEM kits, and DIY robotics projects. Most models use a press-fit D-hole design for secure mounting and better traction. | Product Type: N20 Motor Rubber Wheel Wheel Diameter: 34 mm Wheel Width: 6.5 mm – 7 mm Shaft Type: 3 mm D Shaft | Rubber Wheel • Smart Car Wheel • DIY Robot Wheel • N20 Wheel • 34mm Robot Wheel • N20 Motor Wheel • Mini Robot Wheel |
| No Image | MMM-00005-B | Rubber wheels | MM - Mechanical Module | DFRobot, Pololu, SparkFun, Waveshare | Rubber wheels for DC motors are commonly used in robotics, smart car projects, Arduino robots, line follower robots, obstacle avoidance robots, and DIY mechanical projects. These wheels usually fit BO motors, TT motors, and geared DC motors, providing better grip and smooth movement. | Product Type: Rubber Wheel for DC Motor Wheel Diameter: 65mm / 70mm Compatible Motors: BO Motor / TT Motor Wheel Width: 25mm – 30mm | Robot Wheel • Rubber Wheel • DC Motor Wheel • Smart Car Wheel • Tyre Wheel • DIY Robot Wheel • Motor Wheel |
| No Image | MMM-00006-A | Castor wheel | MM - Mechanical Module | Blickle, TENTE, Shepherd Hardware, Caster Concepts | 1-inch castor wheels are compact rolling wheels used for robotics, small trolleys, DIY platforms, movable enclosures, furniture, carts, and electronic project bases. These wheels are available in swivel and fixed types with plastic, rubber, or nylon wheel materials. | Product Type: Castor Wheel Wheel Size: 1 inch Load Capacity: 5kg – 20kg Rotation: 360° Swivel | DIY Hardware • Castor Wheel • 1 Inch Wheel • Mini Castor • Swivel Wheel • Furniture Wheel • Robot Wheel |
| No Image | MMP-00001-A | Spacers | MM - Mechanical Module | Keystone Electronics, Adafruit, DFRobot, Pro'sKit | Spacers are mechanical components used to create distance between PCBs, panels, enclosures, and mounted hardware in electronics, robotics, Arduino projects, and DIY assemblies. Common spacer materials include nylon, brass, aluminum, and stainless steel. | Product Type: Spacer / Standoff Thread Size: M3 Length Options: 5mm – 50mm | PCB Spacer • Mounting Spacer • DIY Hardware • Spacer • Nylon Spacer • Brass Spacer • Standoff Spacer |
| No Image | MMP-00002-A | Nuts | MM - Mechanical Module | Unbrako, TVS Fasteners, Bossard, RS PRO | Nuts are threaded fastening components used with bolts and screws for securing mechanical assemblies, PCB mounting, robotics, enclosures, 3D printing, and DIY electronics projects. Common types include hex nuts, lock nuts, nylon nuts, and flange nuts. | Product Type: Hex Nut Nut Size: M3 Compatible With: M3 Screws & Bolts | DIY Hardware • Hex Nut • M3 Nut • Lock Nut • Machine Nut • Fastener Nut • Mounting Hardware |
| No Image | MMP-00003-A | EFT Arm Screw Pack | MM - Mechanical Module | EFT EPOWER, EFT EPOWER, EFT EPOWER, Generic / OEM | M6x60 screw pack designed for assembling and securing drone arms in compatible EFT drone models. Provides structural support and stability to drone frames, helping secure motors, propeller mounts, and arm assemblies. Manufactured for compatibility with E416P, E616P, and E410P drone models. | Outer Diameter: 6 mm Length: 60 mm Standard: M6 x 60 Weight: 100 g Shipping Weight: 0.11 kg Shipping Dimensions: 10 x 8 x 3 cm | M6x60 Screw • Drone Arm Screw • EFT Spare Part |
| No Image | MMP-00003-B | Screws | MM - Mechanical Module | Unbrako, TVS Fasteners, Bossard, RS PRO | M3 x 12mm screws are metric machine screws commonly used for PCB mounting, electronics enclosures, robotics, Arduino projects, 3D printers, and mechanical fastening applications. They are available in stainless steel and alloy steel with Phillips, Allen, and hex head types. | Product Type: Machine Screw Screw Size: M3 x 12mm Thread Type: Metric Thread Application: PCB Mounting, DIY, Robotics | DIY Hardware • M3 Screw • Machine Screw • Hex Screw • Mounting Screw • PCB Screw • M3x12mm Screw |
| No Image | MMP-00003-C | Screws | MM - Mechanical Module | Unbrako, TVS Fasteners, Bossard, RS PRO | M3 x 30mm screws are metric machine screws used for PCB mounting, robotics, Arduino assemblies, 3D printers, enclosures, mechanical fastening, and DIY electronics projects. They are commonly available in stainless steel and alloy steel with Phillips, Allen, and hex head types. | Product Type: Machine Screw Screw Size: M3 x 30mm Thread Type: Metric Thread Application: PCB Mounting, Robotics, DIY | DIY Hardware • M3 Screw • Machine Screw • Hex Screw • Mounting Screw • PCB Screw • M3x30mm Screw |
| No Image | MMP-00003-D | Screws | MM - Mechanical Module | Unbrako, TVS Fasteners, Bossard, RS PRO | M3 x 8mm screws are metric machine screws commonly used for PCB mounting, electronics enclosures, Arduino assemblies, robotics, 3D printing, and mechanical fastening applications. These screws are available in stainless steel, carbon steel, and alloy steel variants with different head types. | Product Type: Machine Screw Screw Size: M3 x 8mm Application: PCB Mounting, DIY, Robotics | DIY Hardware • M3 Screw • Machine Screw • Hex Screw • Phillips Screw • Mounting Screw • PCB Screw |
| No Image | MMP-00004-A | Brass standoffs set | MM - Mechanical Module | Adafruit, Keystone Electronics, DFRobot, Pro'sKit | Brass standoff sets are threaded spacers used for mounting and separating PCBs, Arduino boards, Raspberry Pi boards, electronic enclosures, and DIY projects. They provide mechanical support, insulation spacing, and secure assembly for electronics hardware. | Product Type: Brass Standoff Set Thread Type: M2 / M2.5 / M3 Length Options: 5mm – 50mm Shape: Hexagonal | Brass Standoff • PCB Spacer • Hex Standoff • Mounting Spacer • PCB Mount Kit • Threaded Spacer • DIY Hardware |